



## China 608 Bearing Supplier



6326 Bearing 2D drawings and 3D CAD models

SKF NSK Timken Koyo NTN Deep Groove  
Ball Bearing 6326 6328 6330 6332 6334 6336m/C3  
M/C4 Ma 6218 6219 6220 6221 6222 -2z/C3 2RS1  
M /C3

Bearing No. 6326

|                               |                          |
|-------------------------------|--------------------------|
| Size                          | 130x280x58 mm            |
| Bore Diameter                 | 130 mm                   |
| Outer Diameter                | 280 mm                   |
| Width                         | 58 mm                    |
| d                             | 130 mm                   |
| D                             | 280 mm                   |
| B                             | 58 mm                    |
| C                             | 58 mm                    |
| r min.                        | 4 mm                     |
| da min.                       | 146 mm                   |
| Da max.                       | 264 mm                   |
| ra max.                       | 3 mm                     |
| Weight                        | 15,1 Kg                  |
| Basic dynamic load rating (C) | 229 kN                   |
| Basic static load rating (C0) | 214 kN                   |
| (Grease) Lubrication Speed    | 2300 r/min               |
| (Oil) Lubrication Speed       | 2700 r/min               |
| Category                      | Single Row Ball Bearings |
| Inventory                     | 0.0                      |
| Manufacturer Name             | KOYO                     |
| Minimum Buy Quantity          | N/A                      |
| Weight / Kilogram             | 16.14                    |
| EAN                           | 0605790369018            |
|                               |                          |



## China 608 Bearing Supplier

|                                 |  |
|---------------------------------|--|
| Product Group                   | B00308   |
| Enclosure                       | Open   |
| Precision Class                 | ABEC 1   ISO P0  |
| Maximum Capacity / Filling Slot | No   |
| Rolling Element                 | Ball Bearing   |
| Snap Ring                       | No   |
| Internal Special Features       | No   |
| Cage Material                   | Steel  |
| Internal Clearance              | C0-Medium  |
| Inch - Metric                   | Metric   |
| Long Description                | 130MM Bore; 280MM Outside Diameter; 58MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category                        | Single Row Ball Bearing  |
| UNSPSC                          | 31171504   |
| Harmonized Tariff Code          | 8482.10.50.68  |
| Noun                            | Bearing  |
| Keyword String                  | Ball   |
| Manufacturer URL                | <a href="http://www.koyousa.com">http://www.koyousa.com</a>  |
| Manufacturer Item Number        | 6326   |
| Weight / LBS                    | 35.55  |
| Outer Race Width                | 2.283 Inch   58 Millimeter   |
| Bore                            | 5.118 Inch   130 Millimeter  |
| Outside Diameter                | 11.024 Inch   280 Millimeter   |
| Bearing No.                     | 6326   |
| r(min)                          | 4  |
| Cr                              | 287  |
| C0r                             | 214  |
| Cu                              | 14.1   |
|                                 |  |



## China 608 Bearing Supplier

|                   |      |
|-------------------|------|
| f0                | 13.6 |
| Grease lub.       | 2300 |
| Oil lub.          | 2700 |
| da(min)           | 146  |
| Da(max)           | 264  |
| ra(max)           | 3    |
| (Refer.) Mass(kg) | 15.1 |